Cheung, Wendy

From: Pat O'Brien <pwob@comcast.net>
Sent: Thursday, August 31, 2017 12:00 PM

To: Cheung, Wendy
Cc: 'Michelle Probasco'

Subject: [SPAM] RE: [SPAM] RE: [SPAM] DI-2

OK Wendy,

As soon as possible after Sept 11.

Thank you for your help on this.

Pat OBrien

From: Cheung, Wendy [mailto:Cheung.Wendy@epa.gov]

Sent: Thursday, August 31, 2017 11:21 AM

To: Pat O'Brien

Subject: RE: [SPAM] RE: [SPAM] DI-2

Pat,

Just to give you a heads up, it's unlikely you'll get the letter to inject by September 11th. Just looking at the calendar, even if I started routing today, it's been taking 2 weeks to route a simple letter. And I was putting your package together, it's pretty substantial and the tech reviewer that reviews this will need some time to go over the entire body of information, water quality data, cement job, SRT, etc. None of that was straight forward.

Wendy

From: Pat O'Brien [mailto:pwob@comcast.net]
Sent: Wednesday, August 30, 2017 1:12 PM
To: Cheung, Wendy < Cheung. Wendy@epa.gov>
Cc: 'Michelle Probasco' < mprobasco@eccv.org>

Subject: [SPAM] RE: [SPAM] DI-2

Wendy,

Just got the final word from ECCV, they would like to stay with the September 11, 2017 date for the permission to inject letter. We will not inject prior to this date.

Thanks,

Pat OBrien

From: Cheung, Wendy [mailto:Cheung.Wendy@epa.gov]

Sent: Wednesday, August 30, 2017 8:27 AM

To: Pat O'Brien

Subject: RE: [SPAM] DI-2

Pat,

I don't think that I have received a response to the timing question. Let's iron this out soon regarding when ECCV would like their authorization to inject. There is a possibility that I will get deployed for Harvey and I'd like to get this completed soon and routed at the appropriate time.

Thanks, Wendy

From: Cheung, Wendy

Sent: Monday, August 14, 2017 2:45 PM **To:** 'Pat O'Brien' pwob@comcast.net

Subject: RE: [SPAM] DI-2

What does testing mean? If injection, you do need the authorization to inject. Let me know if you need to move up your authorization to inject approval from 9/11/17 from your previous email. But please keep in mind that this means that you will need to complete the TEMP log 6-12 months from that date. Note that the temp log could be scheduled for early spring too (i.e. closer to 6 months).

From: Pat O'Brien [mailto:pwob@comcast.net]
Sent: Monday, August 14, 2017 2:35 PM

To: Cheung, Wendy < Cheung.Wendy@epa.gov>

Cc: 'Michelle Probasco' < mprobasco@eccv.org>

Subject: [SPAM] DI-2

Wendy,

The District may start testing on the DI-2 injection system by injecting for short periods at various rates over about a 1-2 week period to make sure all is working properly prior to production injection. This could begin as early as September 1. Will the EPA allow the District to do such testing prior to receiving the permission to inject?

I believe we did this on the DI-1 well when it started up in 2012.

POB